



# OPSI5-12450H



\*The picture is for reference only, the specific object shall prevail

## 1.Specification Parameters

|                  |                                |
|------------------|--------------------------------|
| CPU              | I5 12450H                      |
| System Chipset   | Intel®SOC                      |
| Basic Frequency  | 2.0GHz                         |
| Cores/Threads    | 8/12                           |
| RAM              | 8G (Support up to 32G)         |
| ROM (SSD)        | 256G (Support up to 512G)      |
| Graphics Card    | Intel® Iris® Xe Graphics       |
| Wireless Network | 1 × M.2 2230PCIe/USB Interface |
| Sound Card       | ALC269 Sound Decoding Chip     |

## I/O Interface


|                     |                                                 |
|---------------------|-------------------------------------------------|
|                     | 4 x USB 3.0 Interface                           |
|                     | 1 x USB Type-C Interface                        |
|                     | 1x MIC IN Interface                             |
|                     | 1 x LINE OUT Interface                          |
|                     | 1 x HDMI OUT Interface                          |
|                     | 1 x DP OUT Interface                            |
|                     | 1 x RJ45 Interface                              |
|                     | 1 x Power Indicator Light                       |
|                     | 1 x Boot Button                                 |
|                     | 2 x Antenna                                     |
|                     | 1 x One Touch Restore Button                    |
| OPS 80-pinInterface | 1 x HDMI2.0, 1 x DP, 3 x USB2.0, 1 x USB3.0, DC |
| Power Input         | 12~19V DC Input, 80.7 W Max                     |
| Structure Size      | 180*119*30mm                                    |
| Operating System    | Windows 10/11 64bit                             |

## Working Environment

|                       |                          |
|-----------------------|--------------------------|
| Operating Temperature | -10°C~45°C               |
| Operating Humidity    | 10%~90%, No Condensation |
| Storage Humidity      | -20°C~60°C               |



## 2. I/O Interface Picture



## 3. Size Chart

